

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	503	(40/661).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/08/23 09:43
L2	8740	((40/650) or (40/651) or (40/649) or (40/661) or (40/642.01) or (40/638) or (40/661.03) or (283/81) or (428/40.1) or (428/343)).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/08/23 11:01
L3	7	label "friction coated"	US-PGPUB	AND	OFF	2006/08/23 11:01
S1	232	((40/650) or (40/642.01)).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/08 20:36
S2	14	S1 and friction	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/02/11 14:57
S3	0	"40"/\$.ccls. and friction and "weak adhesive" and label	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/02/11 14:58
S4	125	"40"/\$.ccls. and friction and adhesive and label	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/02/11 14:58
S5	15	("1877919" "1943168" "1943740" "3174239" "4295275" "4693381" "4756498").PN. OR ("5458307").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/14 09:34
S6	0	"friction coated label"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/02/14 09:48
S9	142	(40/650).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/14 09:51
S10	23	(40/650.ccls. or 40/642.01.ccls.) and friction	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/02/14 10:05
S11	0	"40"/\$.ccls. and "skid value"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/02/14 10:05

EAST Search History

S12	2366	((40/638) or (283/81)).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/14 11:15
S13	60	"friction coating" and label	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/02/14 11:16
S14	4140	((428/40.1) or (428/343)).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/15 14:28
S15	4140	((428/40.1) or (428/343)).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/15 14:28
S16	317	S15 and friction	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/02/15 14:28
S17	76	S15 and friction and label	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/02/15 14:29
S18	10	US-6385884-\$.DID. OR US-6385885-\$.DID. OR US-6470613-\$.DID. OR US-6519885-\$.DID. OR US-6581314-\$.DID. OR US-6632316-\$.DID. OR US-D470535-\$.DID. OR US-D470893-\$.DID. OR US-D472278-\$.DID. OR US-D475753-\$.DID.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/02/15 17:07
S19	117	(40/661.03).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/15 17:07
S20	643	friction with label	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2005/08/08 15:52
S21	201	friction with label coating	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2005/08/08 15:54
S22	16	("1877919" "1943168" "1943740" "3174239" "4295275" "4693381" "4756498").PN. OR ("5458307"). URPN.	US-PGPUB; USPAT; USOCR	AND	OFF	2005/08/08 15:37

EAST Search History

S23	230	friction\$3 near3 coating label	US-PGPUB; USPAT; USOCR	AND	OFF	2005/08/08 15:37
S24	10	friction\$3 near3 coating with label	US-PGPUB; USPAT; USOCR	AND	OFF	2005/08/08 15:50
S25	100	friction with label holder	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2005/08/08 15:39
S26	22	friction\$3 near3 (coating OR layer) with label	US-PGPUB; USPAT; USOCR	AND	OFF	2005/08/08 15:51
S27	50	label same "weak adhesive"	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2005/08/08 15:59
S28	12	low near2 strength near2 adhesive with label	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2005/08/08 16:00
S29	66	removable near2 label same holder	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2005/08/08 16:01
S30	40	removable near2 label same holder adhesive	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2005/08/08 16:01
S31	24	("3452954" "3625464" "4319731" "4619428" "4995182" "5339967" "5346166" "5415370" "5636937" "5678699" "5678795" "5683003" "5722625" "5887731" "5908119" "6082687").PN. OR ("6341755").URPN.	US-PGPUB; USPAT; USOCR	AND	OFF	2005/08/08 16:07
S32	23	post-it same label	US-PGPUB; USPAT; USOCR	AND	OFF	2005/08/08 16:10
S33	76	40/661\$.ccls. adhesive same removable	US-PGPUB; USPAT; USOCR	AND	OFF	2005/08/08 19:11
S34	0	("2001/0047604").URPN.	USPAT	AND	OFF	2005/08/08 16:41

EAST Search History

S35	40	("2563340" "3575788" "3735515" "3912084" "4250642" "4452360" "4589685" "4718626" "4783033" "4787159" "4805861" "4850557" "4882868" "4900604" "4976058" "4987692" "5120941" "5135261" "5231779" "5236163" "5248536" "5261175" "5269691" "5299834" "5325616" "5343647" "5417790" "5421113" "5428914" "5464681" "5597634" "5628858" "5639125" "5672402" "5704650" "5728469" "5792296" "6145231").PN. OR ("6519885").URPN.	US-PGPUB; USPAT; USOCR	AND	OFF	2005/08/08 16:58
S36	80	high adj2 friction label holder	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2005/08/08 19:07
S37	127	high adj friction label (holder or channel)	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2005/08/08 19:08
S38	44	high adj friction coating label (holder or channel)	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2005/08/08 19:09
S39	3	high adj friction with label with coating	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2005/08/08 19:10
S40	14	high adj friction with label	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2005/08/08 19:10
S41	89	40/661\$.ccls. friction	US-PGPUB; USPAT; USOCR	AND	OFF	2005/08/08 19:12
S42	4529	40/661.ccls. OR 40/642.01.ccls. OR 40/638.ccls. OR 40/661.03. ccls. OR 283/81.ccls. OR 428/40. 1.ccls. or 428/343.ccls. friction with coating	US-PGPUB; USPAT; USOCR	AND	OFF	2005/08/08 19:13

EAST Search History

S43	4512	40/661.ccls. OR 40/642.01.ccls. OR 40/638.ccls. OR 40/661.03.ccls. OR 283/81.ccls. OR 428/40.1.ccls. or 428/343.ccls. high adj friction with coating	US-PGPUB; USPAT; USOCR	AND	OFF	2005/08/08 19:14
S44	4	(40/661.ccls. OR 40/642.01.ccls. OR 40/638.ccls. OR 40/661.03.ccls. OR 283/81.ccls. OR 428/40.1.ccls. or 428/343.ccls.) high adj friction with coating	US-PGPUB; USPAT; USOCR	AND	OFF	2005/08/08 19:14
S45	5	(40/661.ccls. OR 40/642.01.ccls. OR 40/638.ccls. OR 40/661.03.ccls. OR 283/81.ccls. OR 428/40.1.ccls. or 428/343.ccls.) friction with coating with label	US-PGPUB; USPAT; USOCR	AND	OFF	2005/08/08 19:15
S46	40	(40/661.ccls. OR 40/642.01.ccls. OR 40/638.ccls. OR 40/661.03.ccls. OR 283/81.ccls. OR 428/40.1.ccls. or 428/343.ccls.) friction with label	US-PGPUB; USPAT; USOCR	AND	OFF	2005/08/08 19:40
S47	2	US-840072-\$.DID. OR US-1103957-\$.DID.	US-PGPUB; USPAT; USOCR	AND	OFF	2005/08/08 19:41
S48	4	US-0840072-\$.DID. OR US-1103957-\$.DID.	US-PGPUB; USPAT; USOCR	AND	OFF	2005/08/08 19:41
S49	6728	((40/650) or (40/642.01) or (40/638) or (40/661.03) or (283/81) or (428/40.1) or (428/343)).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/11/07 18:01
S50	94	label adj3 friction	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/04 08:45
S51	1684	40/642.01.ccls. 40/649.ccls. 40/661.ccls. 40/661.03.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/04 08:46
S52	358	S51 adhesive	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2005/11/04 08:47
S53	42	S51 adhesive slide	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2005/11/04 08:47

EAST Search History

S54	24	S51 adhesive slide label	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2005/11/04 08:47
S55	0	("2001/0047604").URPN.	USPAT	AND	OFF	2005/11/04 08:52
S56	40	("2563340" "3575788" "3735515" "3912084" "4250642" "4452360" "4589685" "4718626" "4783033" "4787159" "4805861" "4850557" "4882868" "4900604" "4976058" "4987692" "5120941" "5135261" "5231779" "5236163" "5248536" "5261175" "5269691" "5299834" "5325616" "5343647" "5417790" "5421113" "5428914" "5464681" "5597634" "5628858" "5639125" "5672402" "5704650" "5728469" "5792296" "6145231").PN. OR ("6519885").URPN.	US-PGPUB; USPAT; USOCR	AND	OFF	2005/11/04 08:52
S57	117	"40"/\$.ccls. skid	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2005/11/07 14:27
S58	299	label with varnish	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2005/11/07 14:28
S59	17	label with varnish same (slip or skid or slide)	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2005/11/07 14:36
S60	44	label "low-tack adhesive"	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2005/11/07 14:39
S61	1	us-5070966-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2005/11/07 14:39
S62	8	("4093865" "4713532" "4766298" "4794240" "4799164").PN. OR ("5070966"). URPN.	US-PGPUB; USPAT; USOCR	AND	OFF	2005/11/07 14:41

EAST Search History

S63	0	"transparent holder" "friction coating"	US-PGPUB; USPAT; USOCR	AND	OFF	2005/11/07 14:42
S64	1	"transparent holder" (non-slip or anti-slip or non-skid or anti-skid)	US-PGPUB; USPAT; USOCR	AND	OFF	2005/11/07 14:42
S65	17	"price channel" friction	US-PGPUB; USPAT; USOCR	AND	OFF	2005/11/07 14:43
S66	17	("1877919" "1943168" "1943740" "3174239" "4295275" "4693381" "4756498").PN. OR ("5458307").URPN.	US-PGPUB; USPAT; USOCR	AND	OFF	2005/11/07 14:52
S67	967	(40/618).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/11/07 14:52
S68	11	S67 friction	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2005/11/07 14:52
S69	6849	((40/650) or (40/642.01) or (40/638) or (40/661.03) or (283/81) or (428/40.1) or (428/343)).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/21 16:44
S70	222	"40"/\$.ccls. label friction	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2006/02/18 12:38
S71	15	"40"/\$.ccls. gebka\$.inv.	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2006/02/18 12:38
S72	222	"40"/\$.ccls. friction label	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2006/02/18 14:10
S73	1110	((40/649) or (40/651)).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/18 13:36
S74	26	"40"/\$.ccls. ("weak adhesive" or "light adhesive") label	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2006/02/18 13:37
S75	135	"40"/\$.ccls. friction label adhesive	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2006/02/18 14:11

EAST Search History

S76	27	"40"/\$.ccls. friction label adhesive pocket	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2006/02/18 14:11
S77	8	shelf label adhesive "dry bond"	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2006/02/21 16:25
S78	1	shelf label adhesive "dry bond" "40"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2006/02/21 16:25
S79	5	shelf label adhesive "rubber-based" "40"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2006/02/21 16:26
S80	0	shelf label adhesive temporary "rubber-based" "40"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2006/02/21 16:27
S81	25	shelf label adhesive temporary "40"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2006/02/21 16:27
S82	6993	((40/650) or (40/642.01) or (40/638) or (40/661.03) or (283/81) or (428/40.1) or (428/343)).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/08/23 10:12